



Robertson Microlit Laboratories

1705 U.S. Highway 46 / Suite 1D / Ledgewood, NJ 07852 / (973) 966-6668 / Fax: (973) 966-0136
www.robertson-microlit.com results@robertson-microlit.com

Naresh Patel
ITW Pro Brands

Date: 5/8/17

Results of Analysis
Sample Number:
High Purity Black F.T. Q404 Test #761

Element	Results
Antimony	<1ppm
Arsenic	<1ppm
Bismuth	<1ppm
Boron	1ppm
Bromine	<2ppm
Cadmium	<1ppm
Chlorine	27ppm
Copper	1ppm
Fluorine	<1ppm
Gallium	89ppm
Indium	<1ppm
Iodine	<9ppm
Iron	217ppm
Lead	<1ppm
Magnesium	1ppm
Mercury	<1ppm
Nitrates	<2ppm
Nitrites	<2ppm
Phosphorus	<1ppm
Selenium	<1ppm
Silver	<1ppm
Sodium	6ppm
Sulfur	20ppm
Tellurium	<1ppm
Thallium	<1ppm
Tin	<1ppm
Water Leachable Chloride	16ppm
Water Leachable Fluoride	<1ppm
Water Leachable Sulfates	<1ppm
Zinc	3ppm

QA:

Dr. Robert Di Vincenzo
Dr. Robert Di Vincenzo