



Robertson Microlit Laboratories

1705 U.S. Highway 46 / Suite 1D / Ledgewood, NJ 07852 / (973) 966-6668 / Fax: (973) 966-0136
www.robertson-microlit.com results@robertson-microlit.com

Naresh Patel
ITW Pro Brands

Date: 7/10/17

Results of Analysis
Sample Number:
Z916 High Purity Yellow, Test #763

Element	Results
Antimony	99ppm
Arsenic	<1ppm
Bismuth	4ppm
Boron	27ppm
Bromine	<1ppm
Cadmium	<1ppm
Chlorine	69ppm
Copper	<1ppm
Fluorine	77ppm
Gallium	<1ppm
Indium	<1ppm
Iodine	<7ppm
Iron	270ppm
Lead	<1ppm
Magnesium	78ppm
Mercury	<1ppm
Nitrates	8ppm
Nitrites	<2ppm
Phosphorus	29%
Selenium	6ppm
Silver	4ppm
Sodium	582ppm
Sulfur	188ppm
Tellurium	<1ppm
Thallium	<1ppm
Tin	22ppm
Water Leachable Chloride	69ppm
Water Leachable Fluoride	77ppm
Water Leachable Sulfates	188ppm
Zinc	8ppm

QA:


Dr. Robert Di Vincenzo